

SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

Date of compilation: 14/12/2021 Page 1 / 11



SILICATUS Base3 Tinta Orgânica Mate Mineral
Code: 05.06.07

Version: 1 Date of compilation: 14/12/2021

Date of printing: 14/12/2021

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 PRODUCT IDENTIFIER: SILICATUS Base3 Tinta Orgânica Mate Mineral
Code: 05.06.07
- 1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST:
Intended uses (main technical functions): [...] Industrial [X] Professional [X] Consumers
 Matt coating for interior walls and ceilings, water-borne.
Sectors of use:
 Professional uses (SU22).
 Consumer uses (SU21).
Uses advised against:
 None. As there is not classified as dangerous, this product can be used in ways other than the identified uses, but all uses have to be consistent with the safety guidelines provided.
Restrictions on manufacture, placing on market and use, according to Annex XVII of Regulation (EC) No. 1907/2006:
 Not restricted.
- 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:
 NEUCE - Indústria de Tintas, S.A.
 Rua Francisco Rocha - Aptdo. 4514 - 3700-892 - Romariz SJM (Portugal)
 Phone: +351 256 840040 - Fax: +351 256 840049
E-mail address of the person responsible for the Safety Data Sheet:
 e-mail: geral@neuce.pt
- 1.4 EMERGENCY TELEPHONE NUMBER: +351 256 840041 (9:00-18:30 h.) (working hours)

SECTION 2 : HAZARDS IDENTIFICATION

- 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:
 This product is not classified as dangerous, in accordance with Regulation (EU) No. 1272/2008~2020/1182 (CLP)
 Note: When in section 3 a range of percentages is used, the health and environmental hazards describe the effects of the highest concentration of each component, but below the maximum value.
 Note: This product does not require a Safety Data Sheet according to the Regulation (EC) no. 2015/830. When used as recommended or under ordinary conditions, it should not present a physicochemical, health safety or environmental hazard. However, an MSDS can be provided as a courtesy in response to a customer request.
- 2.2 LABEL ELEMENTS:
 This product does not require pictograms, in accordance with Regulation (EU) No. 1272/2008~2020/1182 (CLP)
Hazard statements:
 None.
Precautionary statements:
 P102 Keep out of reach of children.
 P260 Do not breathe vapours, spray.
 P280b Wear protective gloves.
 P273 Avoid release to the environment.
Supplementary statements:
 EUH210 Safety data sheet available on request.
Substances that contribute to classification:
 None.
- 2.3 OTHER HAZARDS:
 Hazards which do not result in classification but which may contribute to the overall hazards of the mixture:
Other physicochemical hazards: No other relevant adverse effects are known.
Other adverse human health effects: No other relevant adverse effects are known.
Other negative environmental effects: Does not contain substances that fulfil the PBT/vPvB criteria.



SILICATUS Base3 Tinta Orgânica Mate Mineral
Code: 05.06.07

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.1 SUBSTANCES:
Not applicable (mixture).

3.2 MIXTURES:
This product is a mixture.
Chemical description:
Mixture of pigments, extenders, resins and additives in aqueous media.

HAZARDOUS INGREDIENTS:
Substances taking part in a percentage higher than the exemption limit:

5 < 10 %



Potassium polysilicate Rm>3.5

CAS: 1312-76-1, EC: 215-199-1

CLP: Warning: Skin Irrit. 2:H315 | Eye Irrit. 2:H319 | STOT SE (irrit.) 3:H335

Autoclassified
< REACH

< 1 %



Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

(CAS: 64742-82-1), List No. 919-446-0

REACH: 01-2119458049-33

CLP: Danger: Flam. Liq. 3:H226 | STOT SE (nausea) 3:H336 | STOT RE 1:H372i

| Asp. Tox. 1:H304 | Aquatic Chronic 2:H411 | EUH066

Autoclassified
< REACH

Impurities:

Does not contain other components or impurities which will influence the classification of the product.

Stabilizers:

None

Reference to other sections:

For more information, see sections 8, 11, 12 and 16.

SUBSTANCES OF VERY HIGH CONCERN (SVHC):

List updated by ECHA on 08/07/2021.

Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:

None

Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:

None

PERSISTENT, BIOACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES:

Does not contain substances that fulfil the PBT/vPvB criteria.



SILICATUS Base3 Tinta Orgânica Mate Mineral
Code: 05.06.07

SECTION 4 : FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST-AID MEASURES:



Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Route of exposure	Symptoms and effects, acute and delayed	Description of first-aid measures
<u>Inhalation:</u>	It is not expected that symptoms will occur under normal conditions of use.	Should there be any symptoms, transfer the person affected to the open air.
<u>Skin:</u>	It is not expected that symptoms will occur under normal conditions of use.	Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners.
<u>Eyes:</u>	It is not expected that symptoms will occur under normal conditions of use.	Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. If irritation persists, consult a physician.
<u>Ingestion:</u>	If swallowed in high doses, may cause gastrointestinal disturbances.	If swallowed, seek immediate medical attention. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

The main symptoms and effects are indicated in sections 4.1 and 11.1

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

Notes to physician: Treatment should be directed at the control of symptoms and the clinical condition of the patient.
Antidotes and contraindications: Specific antidote not known.

SECTION 5 : FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

In case of fire in the surroundings, all extinguishing agents are allowed.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

As consequence of combustion or thermal decomposition, hazardous products may be produced: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products may be a hazard to health.

5.3 ADVICE FOR FIREFIGHTERS:

Special protective equipment: Depending on magnitude of fire, heat-proof protective clothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or is not being used, combat fire from a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection for chemical incidents.
Other recommendations: Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Avoid direct contact with this product.

6.2 ENVIRONMENTAL PRECAUTIONS:

Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

Contain and mop up spills with absorbent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc.). Avoid use of solvents. Keep the remains in a closed container.

6.4 REFERENCE TO OTHER SECTIONS:

For contact information in case of emergency, see section 1.
For information on safe handling, see section 7.
For exposure controls and personal protection measures, see section 8.
For waste disposal, follow the recommendations in section 13.



SILICATUS Base3 Tinta Orgânica Mate Mineral
Code: 05.06.07

SECTION 7 : HANDLING AND STORAGE

- 7.1** PRECAUTIONS FOR SAFE HANDLING:
Comply with the existing legislation on health and safety at work.
General recommendations:
Avoid any type of leakage or escape. Keep the container tightly closed.
Recommendations for the prevention of fire and explosion risks:
The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres.
Recommendations for the prevention of toxicological risks:
Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8.
Recommendations for the prevention of environmental contamination:
It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6.
- 7.2** CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:
Forbid the entry to unauthorized persons. Keep out of reach of children. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10.
Class of storage : According to current legislation.
Maximum storage period : 12. months
Temperature interval : min: 5. °C, max: 35. °C (recommended).
Incompatible materials:
Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.
Type of packaging:
According to current legislation.
Limit quantity (Seveso III): Directive 2012/18/EU:
Not applicable (product for non industrial use).

- 7.3** SPECIFIC END USES:
For the use of this product particular recommendations apart from that already indicated are not available.



SILICATUS Base3 Tinta Orgânica Mate Mineral
Code: 05.06.07

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1

CONTROL PARAMETERS:

If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689, EN14042 and EN482 standard concerning methods for assessing the exposure by inhalation to chemical agents, and exposure to chemical and biological agents. Reference should be also made to national guidance documents for methods for the determination of dangerous substances.

OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV)

AGCIH 2020	Year	TLV-TWA ppm	mg/m ³	TLV-STEL ppm	mg/m ³	Remarks
Hydrocarbons C9-C12 (aromatics 2-25%)		100.	-	-	-	

TLV - Threshold Limit Value, TWA - Time Weighted Average, STEL - Short Term Exposure Limit.

BIOLOGICAL LIMIT VALUES:

Not available

DERIVED NO-EFFECT LEVEL (DNEL):

Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances included in REACH. DNEL values may differ from a occupational exposure limit (OEL) for the same chemical. OEL values may come recommended by a particular company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are derived by a process different of REACH.

<u>Derived no-effect level, workers:</u> - Systemic effects, acute and chronic: Hydrocarbons C9-C12 (aromatics 2-25%)	<u>DNEL Inhalation</u> mg/m ³ 570. (a) 330. (c)	<u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) 21.0 (c)	<u>DNEL Oral</u> mg/kg bw/d - (a) - (c)
<u>Derived no-effect level, workers:</u> - Local effects, acute and chronic: Hydrocarbons C9-C12 (aromatics 2-25%)	<u>DNEL Inhalation</u> mg/m ³ s/r (a) s/r (c)	<u>DNEL Cutaneous</u> mg/cm ² s/r (a) s/r (c)	<u>DNEL Eyes</u> mg/cm ² s/r (a) - (c)
<u>Derived no-effect level, general population:</u> - Systemic effects, acute and chronic: Hydrocarbons C9-C12 (aromatics 2-25%)	<u>DNEL Inhalation</u> mg/m ³ 570. (a) 71.0 (c)	<u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) 12.0 (c)	<u>DNEL Oral</u> mg/kg bw/d s/r (a) 21.0 (c)
<u>Derived no-effect level, general population:</u> - Local effects, acute and chronic: Hydrocarbons C9-C12 (aromatics 2-25%)	<u>DNEL Inhalation</u> mg/m ³ s/r (a) s/r (c)	<u>DNEL Cutaneous</u> mg/cm ² s/r (a) s/r (c)	<u>DNEL Eyes</u> mg/cm ² s/r (a) - (c)

(a) - Acute, short-term exposure, (c) - Chronic, long-term or repeated exposure.

(-) - DNEL not available (without data of registration REACH).

s/r - DNEL not derived (not identified hazard).

PREDICTED NO-EFFECT CONCENTRATION (PNEC):

<u>Predicted no-effect concentration, aquatic organisms:</u> - Fresh water, marine water and intermittent release: Hydrocarbons C9-C12 (aromatics 2-25%)	<u>PNEC Fresh water</u> mg/l uvcb	<u>PNEC Marine</u> mg/l uvcb	<u>PNEC Intermittent</u> mg/l uvcb
- Waste water treatment plants (STP) and sediments in fresh- and marine water: Hydrocarbons C9-C12 (aromatics 2-25%)	<u>PNEC STP</u> mg/l uvcb	<u>PNEC Sediments</u> mg/kg dw/d uvcb	<u>PNEC Sediments</u> mg/kg dw/d uvcb
<u>Predicted no-effect concentration, terrestrial organisms:</u> - Air, soil and effects for predators and humans: Hydrocarbons C9-C12 (aromatics 2-25%)	<u>PNEC Air</u> mg/m ³ uvcb	<u>PNEC Soil</u> mg/kg dw/d uvcb	<u>PNEC Oral</u> mg/kg dw/d uvcb

uvcb - The substance has an unknown or variable composition (UVCB). The conventional methods to derive the PNEC are not appropriate and it is not possible to identify a single PNEC representative for these substances, and therefore not used in calculations for risk assessment.



SILICATUS Base3 Tinta Orgânica Mate Mineral
Code: 05.06.07

8.2

EXPOSURE CONTROLS:ENGINEERING MEASURES:

Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction.

Protection of respiratory system: Not applicable.

Protection of eyes and face: It is recommended to install water taps or sources with clean water close to the working area.

Protection of hands and skin: It is recommended to install emergency showers close to the working area.

OCCUPATIONAL EXPOSURE CONTROLS: Regulation (EU) No. 2016/425:

As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc.), you should consult the informative brochures provided by the manufacturers of PPE.

Mask:

No.

Safety goggles:

Safety goggles with suitable lateral protection (EN166). Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.

Face shield:

No.

Gloves:

Gloves resistant against chemicals (EN374).

Boots:

No.

Apron:

No.

Clothing:

No.

Thermal hazards:

Not applicable (the product is handled at room temperature).

ENVIRONMENTAL EXPOSURE CONTROLS:

Avoid any spillage in the environment.

Spills on the soil: Prevent contamination of soil.

Spills in water: Do not allow to escape into drains, sewers or water courses.

- Water Management Act: This product does not contain any substance included in the list of priority substances in the field of water policy under Directive 2000/60/EC~2013/39/EU.

Emissions to the atmosphere: Not applicable.



SILICATUS Base3 Tinta Orgânica Mate Mineral
Code: 05.06.07

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1	<u>INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:</u> <u>Appearance</u> - Physical state : Liquid. - Colour : Colourless. - Odour : Characteristic. <u>pH-value</u> - pH : 12. ± 2. at 20°C <u>Change of state</u> - Initial boiling point : > 100* °C at 760 mmHg <u>Density</u> - Relative density : 1.38 ± 0.1 at 20/4°C Relative water <u>Stability</u> - Decomposition temperature : Not available <u>Viscosity:</u> - Viscosity (Krebs-Stormer) : 95. ± 2. KU 25°C <u>Volatility:</u> - Evaporation rate : 40.5* nBuAc=100 25°C Relative - Vapour pressure : 17.5* mmHg at 20°C - Vapour pressure : 12.3* kPa at 50°C <u>Solubility(ies)</u> - Solubility in water: : Miscible. - Partition coefficient: n-octanol/water : Not applicable (mixture). <u>Flammability:</u> - Flash point : Não inflamável °C - Lower/upper flammability or explosive limits : Not available - Autoignition temperature : Not applicable (do not sustain combustion). <u>Explosive properties:</u> Not available. <u>Oxidizing properties:</u> Not classified as oxidizing product. *Estimated values based on the substances composing the mixture.
9.2	<u>OTHER INFORMATION:</u> - Heat of combustion : 586* Kcal/kg - Solids : 54.9 % Weight - VOC (supply) : 15.0 g/l The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the corresponding technical data sheet. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12.

SECTION 10 : STABILITY AND REACTIVITY

10.1	<u>REACTIVITY:</u> <u>Corrosivity to metals:</u> It is not corrosive to metals. <u>Pyrophorical properties:</u> It is not pyrophoric.
10.2	<u>CHEMICAL STABILITY:</u> Stable under recommended storage and handling conditions.
10.3	<u>POSSIBILITY OF HAZARDOUS REACTIONS:</u> Possible dangerous reaction with oxidizing agents, acids.
10.4	<u>CONDITIONS TO AVOID:</u> <u>Heat:</u> Keep away from sources of heat. <u>Light:</u> If possible, avoid direct contact with sunlight. <u>Air:</u> The product is not affected by exposure to air, but should not be left the containers open. <u>Pressure:</u> Not relevant. <u>Shock:</u> The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling to avoid dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations.
10.5	<u>INCOMPATIBLE MATERIALS:</u> Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.
10.6	<u>HAZARDOUS DECOMPOSITION PRODUCTS:</u> As consequence of thermal decomposition, hazardous products may be produced: carbon monoxide.



SILICATUS Base3 Tinta Orgânica Mate Mineral
Code: 05.06.07

SECTION 11 : TOXICOLOGICAL INFORMATION

No experimental toxicological data on the preparation is available. The toxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EU) No. 1272/2008~2020/1182 (CLP).

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

ACUTE TOXICITY:

Dose and lethal concentrations for individual ingredients :

Potassium polysilicate $R_m > 3.5$

Hydrocarbons C9-C12 (aromatics 2-25%)

LD50 (OECD 401)
mg/kg bw oral

> 5000. Rat

> 5000. Rat

LD50 (OECD 402)
mg/kg bw cutaneous

> 5000. Rat

> 2000. Rabbit

LC50 (OECD 403)
mg/m³-4h inhalation

> 2060. Rat

> 13100. Rat

Estimates of acute toxicity (ATE) for individual ingredients :

Not classified as a product with acute toxicity.

No observed adverse effect level

Not available

Lowest observed adverse effect level

Not available

INFORMATION ON LIKELY ROUTES OF EXPOSURE: Acute toxicity:

Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/or delayed	Criteria
<u>Inhalation:</u> Not classified	ATE > 20 000 mg/m ³	-	<i># Not classified as a product with acute toxicity if inhaled (based on available data, the classification criteria are not met).</i>	GHS/CLP 3.1.3.6.
<u>Skin:</u> Not classified	ATE > 2000 mg/kg bw	-	<i># Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met).</i>	GHS/CLP 3.1.3.6.
<u>Eyes:</u> Not classified	Not available	-	<i># Not classified as a product with acute toxicity by eye contact (lack of data).</i>	GHS/CLP 1.2.5.
<u>Ingestion:</u> Not classified	ATE > 2000 mg/kg bw	-	<i># Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met).</i>	GHS/CLP 3.1.3.6.

GHS/CLP 3.1.3.6: Classification of mixtures based on ingredients of the mixture (additivity formula).

CORROSION / IRRITATION / SENSITISATION :

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
<u>Respiratory corrosion/irritation:</u> Not classified	-	-	<i># Not classified as a product corrosive or irritant by inhalation (based on available data, the classification criteria are not met).</i>	GHS/CLP 1.2.6. 3.8.3.4.
<u>Skin corrosion/irritation:</u> Not classified	-	-	<i># Not classified as a product corrosive or irritant in contact with skin (based on available data, the classification criteria are not met).</i>	GHS/CLP 3.2.3.3.
<u>Serious eye damage/irritation:</u> Not classified	-	-	<i># Not classified as a product corrosive or irritant in contact with eyes (based on available data, the classification criteria are not met).</i>	GHS/CLP 3.3.3.3.
<u>Respiratory sensitisation:</u> Not classified	-	-	<i># Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).</i>	GHS/CLP 3.4.3.3.
<u>Skin sensitisation:</u> Not classified	-	-	<i># Not classified as a product sensitising by skin contact (based on available data, the classification criteria are not met).</i>	GHS/CLP 3.4.3.3.

GHS/CLP 3.2.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.3.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.4.3.3: Classification of the mixture when data are available for all components or only for some components.

ASPIRATION HAZARD:

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
<u>Aspiration hazard:</u> Not classified	-	-	<i># Not classified as a product hazardous by aspiration (based on available data, the classification criteria are not met).</i>	GHS/CLP 3.10.3.3.

GHS/CLP 3.10.3.3: Classification of the mixture when data are available for all components or only for some components.



Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met).

Effects via lactation: Not classified as a hazardous product for children breast-fed.

Long-term or repeated exposure: Not available.

*Not available.*

Basic toxicokinetics: # Not available.

Not available.

No experimental ecotoxicological data on the preparation as such is available. The ecotoxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EU) No. 1272/2008~2020/1182 (CLP).

<u>Acute toxicity in aquatic environment</u> for individual ingredients : Potassium polysilicate Rm>3.5 Hydrocarbons C9- C12 (aromatics 2-25%)	<u>LC50</u> (OECD 203) mg/l-96hours > 100. Fishes > 10. Fishes	<u>EC50</u> (OECD 202) mg/l-48hours > 100. Daphnia > 10. Daphnia	<u>EC50</u> (OECD 201) mg/l-72hours 207. Algae > 4.6 Algae
---	---	---	---

Lowest observed effect concentration

Not available

ASSESSMENT OF AQUATIC TOXICITY:

Aquatic toxicity	Cat.	Main hazards to the aquatic environment	Criteria
<u>Acute aquatic toxicity:</u> Not classified	-	<i># Not classified as a hazardous product with acute toxicity to aquatic life (based on available data, the classification criteria are not met).</i>	GHS/CLP 4.1.3.5.3.
<u>Chronic aquatic toxicity:</u> Not classified	-	<i># Not classified as a dangerous product with chronic toxicity to aquatic life with long lasting effects (based on available data, the classification criteria are not met).</i>	GHS/CLP 4.1.3.5.4.

CLP 4.1.3.5.5.3: Classification of a mixture for acute hazards, based on summation of classified components.

CLP 4.1.3.5.5.4: Classification of a mixture for chronic (long term) hazards, based on summation of classified components.

PERSISTENCE
Not available.

<u>Aerobic biodegradation</u> <u>for individual ingredients :</u> Potassium polysilicate Rm>3.5 Hydrocarbons C9- C12 (aromatics 2-25%)	<u>DQO</u> mgO2/g	<u>%DBO/DQO</u> 5 days 14 days 28 days 0.	<u>Biodegradability</u> Not available Easy
---	----------------------	---	--

Note: Biodegradability data correspond to an average of data from various bibliographic sources.

Not available.

<u>Bioaccumulation</u> for individual ingredients :	<u>log Pow</u>	<u>BCF</u> L/kg	<u>Potential</u>
Hydrocarbons C9- C12 (aromatics 2-25%)	5.65	> 100. (calculated)	Low

Not available.

Mobility for individual ingredients : Hydrocarbons C9- C12 (aromatics 2-25%)	log P_{oc} 4.90	Constant of Henry Pa·m ³ /mol 20°C	Potential Low
--	--	--	----------------------------------

Does not contain substances that fulfil the PBT/vPvB criteria.

SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

Date of compilation: 14/12/2021 Page 10 / 11

SILICATUS Base3 Tinta Orgânica Mate Mineral
Code: 05.06.07

- 12.6 **OTHER ADVERSE EFFECTS:**
Ozone depletion potential: Not applicable.
Photochemical ozone creation potential: Not available.
Earth global warming potential: Not available.
Endocrine disrupting potential: Not available.

SECTION 13 : DISPOSAL CONSIDERATIONS

- 13.1 **WASTE TREATMENT METHODS:** Directive 2008/98/EC~Regulation (EU) no. 1357/2014:
Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose at an authorised waste collection point. Waste should be handled and disposed in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8.
- Disposal of empty containers: Directive 94/62/EC~2015/720/EU, Decision 2000/532/EC~2014/955/EU:
Emptied containers and packaging should be disposed in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of emptying of the same, being the holder of the residue responsible for their classification, in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself.
- Procedures for neutralising or destroying the product:
Authorised landfill in accordance with local regulations.

SECTION 14 : TRANSPORT INFORMATION

- 14.1 UN NUMBER: Not applicable
- 14.2 UN PROPER SHIPPING NAME: Not applicable
- 14.3 TRANSPORT HAZARD CLASS(ES):
Transport by road (ADR 2021) and
Transport by rail (RID 2021):
Not regulated
Transport by sea (IMDG 39-18):
Not regulated
Transport by air (ICAO/IATA 2021):
Not regulated
Transport by inland waterways (ADN):
Not regulated
- 14.4 PACKING GROUP:
Not regulated
- 14.5 ENVIRONMENTAL HAZARDS:
Not applicable (not classified as hazardous for the environment).
- 14.6 SPECIAL PRECAUTIONS FOR USER:
Ensure that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that are upright and secure.
- 14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE:
Not applicable.

SECTION 15 : REGULATORY INFORMATION

- 15.1 EU SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC:
The regulations applicable to this product generally are listed throughout this Safety Data Sheet.
Restrictions on manufacture, placing on market and use: See section 1.2
Tactile warning of danger: Not applicable (the classification criteria are not met).
Child safety protection: Not applicable (the classification criteria are not met).
VOC information on the label:
Contains VOC max. 15. g/l - The limit value 2004/42/CE-IIA cat. a) for the product ready for use is VOC max. 30. g/l (2010).
OTHER REGULATIONS:
Control of the risks inherent in major accidents (Seveso III): See section 7.2
Other local legislations:
The receiver should verify the possible existence of local regulations applicable to the chemical.
- 15.2 CHEMICAL SAFETY ASSESSMENT:
A chemical safety assessment has not been carried out for this mixture.



SILICATUS Base3 Tinta Orgânica Mate Mineral
Code: 05.06.07

SECTION 16 : OTHER INFORMATION

TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3:Hazard statements according the Regulation (EU) No. 1272/2008~2020/1182 (CLP), Annex III:

H226 Flammable liquid and vapour H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. EUH066 Repeated exposure may cause skin dryness or cracking. H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

EVALUATION OF THE INFORMATION ON THE DANGER OF MIXTURES: See sections 9.1, 11.1 and 12.1.

ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS:

It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to provide understanding and interpretation of Safety Data Sheets and labelling of products as well.

MAIN LITERATURE REFERENCES AND SOURCES FOR DATA:

- European Chemicals Agency: ECHA, <http://echa.europa.eu/>
- Access to European Union Law, <http://eur-lex.europa.eu/>
- Threshold Limit Values, (AGCIH, 2018).

ABBREVIATIONS AND ACRONYMS:

List of abbreviations and acronyms that can be used (but not necessarily used) in this Safety Data Sheet:

- REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations.
- CLP: European regulation on Classification, Labelling and Packaging of substances and chemical mixtures.
- EINECS: European Inventory of Existing Commercial Chemical Substances.
- ELINCS: European List of Notified Chemical Substances.
- CAS: Chemical Abstracts Service (Division of the American Chemical Society).
- UVCB: Substances of Unknown or Variable composition, complex reaction products or biological materials.
- SVHC: Substances of Very High Concern.
- PBT: Persistent, bioaccumulable and toxic substances.
- vPvB: Very persistent and very bioaccumulable substances.
- DNEL: Derived No-Effect Level (REACH).
- PNEC: Predicted No-Effect Concentration (REACH).
- LD50: Lethal dose, 50 percent.
- LC50: Lethal concentration, 50 percent.
- UN: United Nations Organisation.
- ADR: European agreement concerning the international carriage of dangerous goods by road.
- RID: Regulations concerning the international transport of dangerous goods by rail.
- IMDG: International Maritime code for Dangerous Goods.
- IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization.

SAFETY DATA SHEET REGULATIONS:

Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex of Regulation (EU) No. 2015/830.

HISTORIC:

Version: 1

Date of compilation:

14/12/2021

The information of this Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users' working conditions are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product's properties.